Syzygium smithii Lillypilly Satinash MYRTACEAE



Typical height: 12m (> 20m) **Spread:**

Climate: Tropical, subtropical. **Light conditions:** Part Shade

Growth habit: Bushy shrub to small tree with red to dark pink new growth.

Growing conditions: Occurs in rainforest and wet sclerophyll forest at altitude 0 - 1300m. In tropical climates often found as a rheophyte growing along watercourses.

Flowers: Oct - Apr **Fruit:** Edible, Mar – Dec.

Other: The fruit is a food source for the flying fox and a variety of birds including the Southern Cassowary. Supports the life cycle of a variety of butterflies and moths. Suitable as a hedging or screening plant. Species has naturalised in a variety of sites throughout eastern Australia. Previously known as *Acmena smithii*.

<u>References:</u> Cooper W., Cooper W.T. (2004) <u>Fruits of the Australian Tropical Rainforest.</u> Meltzer, R., Plumb, J., (2007) <u>Plants of Capricornia.</u> Melzer R., Plumb J., Zich F.A., Hyland B.P.M., Whiffin T., Kerrigan R.A. (2020) <u>Australian Tropical Rainforest Plants, Edition 8.</u> <u>https://apps.lucidcentral.org/rainforest/.</u> Accessed 27/12/2023. <u>Photo Credit: Hansen, V.</u>